


Cables

Images	Part No.	Length (m)	Interface	To PC / Source Interface	To Switch Interface	Compatible Products
	2L-7D02DD 2L-7D03DD 2L-7D05DD 2L-7D10DD	1.8 3 5 10	DVI-D	 DVI-D Male (Dual Link)	 DVI-D Male (Dual Link)	All ATEN's DVI Devices
	2L-7D02V	2	DVI-D	 DVI-D Male (Single Link)  Audio Plug	 DVI-D Male (Single Link)  Audio Plug	VS172, VS174, VS162, VS164, VE600A, VE602, VE606, VE607, CE624
	2L-2402A	2	VGA	 HDB-15 Male  Audio Plug	 HDB-15 Female  Audio Plug	VS1204T, VS1208T, VS1504, VS1508, VM0404, VM0808, VS0202, VS0201, VS0401, VS0102, VS0104, VS0108, VS0116, VE170, VE170Q, VE200, VC 180, VE156, VE157
	2L-7D02U 2L-7D03U 2L-7D05U	1.8 3 5	DVI-D USB	 USB Type A Male  DVI-D Male (Single Link)  2 Audio Plugs	 USB Type B Male  DVI-D Male (Single Link)  2 Audio Plugs	CM1164
	2L-7D02DP 2L-7D03DP 2L-7D05DP	2 3 5	DisplayPort	 DisplayPort	 DisplayPort	All ATEN's DisplayPort Devices
	2L-2801 (Shielded)	305	RJ-45	 RJ-45	 RJ-45	All ATEN's Cat 5 / 5e / 6 / 6a Devices for Video & Audio Communication
	2L-4101-GR 2L-4102-GR 2L-4103-GR 2L-4105-GR 2L-4110-GR 2L-4115-GR 2L-4120-GR	1 2 3 5 10 15 20	RJ-45	 RJ-45	 RJ-45	All ATEN's Cat 5 / 5e / 6 / 6a Devices for Data Communication
	2L-2910	305	RJ45	 RJ-45	 RJ-45	All ATEN HDBT products

2X-EA12 LockPro™ - HDMI Cable Lock

ATEN LockPro™, the world's most effective universal HDMI cable lock

LockPro™, an ATEN exclusive technology, was created to prevent signal loss by ensuring a durable connection between your HDMI cables and devices in a simple, one-piece design. Since most HDMI connectors do not have a locking mechanism, it's common for them to become detached or loosened and create intermittent up to complete signal loss - making cable lock solutions essential.



Features

- Innovative design improves stability and flexibility
- One-piece and reusable design for easy installation and removal
- Ensures strong and reliable HDMI cable connections
- Universal design for securing most cables (not limited to HDMI)
- Environmentally safe – RoHS compliant and recyclable
- Sold 10 pieces per pack


2X-EA12 Specifications

Function	2X-EA12
Storage Temperature	-20-60°C
Humidity	0-95% R.H, Non-Condensing
Physical Properties	
Weight	1.4 g
Dimensions (L x W x H)	8.61 x 6.47 x 0.66 cm (3.39 x 2.55 x 0.26 in.)

One-piece Design for Easy Installation



- 1 Loosen the screw above the port



- 2 Slide the LockPro™ over the loosened screw



- 3 Tighten the screw firmly





- 4 Wrap the LockPro™ around the cable



- 5 Fasten the LockPro™ strap

Accessories

Images	Part No.	Product Name.	Compatible Products
	2A-127G	DVI to HDMI Converter	Compatible with all models equipped with DVI interface
	2L-5202B 2L-5203B 2L-5205B	Port Switching VGA Cable	VS0801A, VE2812T
	2XRT-0003G	IR Receiver Cable (38 KHz)	VM3404H / VM3909H, VM6404H, VM5404H / VM5808H, VM0404HB / VM0808HB, VM0404HA / VM0808HA, VM0202H, VM5404D / VM5808D, VM0404 / VM0808, VS482, VS0201 / VS0401, VS481B, VS481C, VE810, VP1920, VP2730, CM1164, VE805R
	2XRT-0003G-1	Full Range IR Receiver (30-56 KHz)	VM3404H / VM3909H, VE802, VE1812, VE814A, VE8900 / VE8950, VE816R, VE883
	2XRT-0004G	Full Range IR Emitter (30-56 KHz)	VK1100, VK2100, VE802, VM3404H / VM3909H, VE1812, VE814A, VE8900 / VE8950, VE816R, VE805R, VE883
	2XRT-0007G	IR Remote Control	VS0801H, VS881, VS0801A, VS0801HB
	2XRT-0010G	IR Remote Control	VS482
	2XRT-0101G	IR Remote Control	VM0202H, VS481A, VS481B, VS261 / VS461, VS0201 / VS0401, VS481C
	2XRT-0106G	IR Remote Control	VM3404H / VM3909H, VM6404H, VM5404H / VM5808H, VM0404HB / VM0808HB, VM0404HA / VM0808HA, VM5404D / VM5808D, VM0404 / VM0808
	2XRT-0301G	IR Remote Control	VE200
	2XRT-0109G	IR Remote Control	VP1920
	2XRT-0110G	IR Remote Control	VP2730
	2X-020G	Mounting Kit	VM0404, VS0401, VS0108
	2X-RC1700	Video Wall Rack	
	2X-030G	TV Bracket Set (L+R)	
	2X-031G	Single Rack Mounting Kit	VK1100